

### **SUPPLEMENTAL EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jennifer Branigan on 10/30/2009.

The application has been amended as follows:

#### ***The specification:***

In the specification at page 3, after line 10 please insert the following new paragraph.

#### **--BRIEF DESCRIPTION OF THE DRAWINGS**

FIG. 1 depicts an apparatus for coating foreign bodies by precipitation of prepolymers.

FIG. 2 shows in panel A an SEM photograph of an uncoated moulding (Chromolith. RTM. from Merck KGaA) and in panel B a moulding coated with a copolymer of 2-hydroxyethyl methacrylate and ethyl methacrylate.--

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hai Vo whose telephone number is (571) 272-1485. The examiner can normally be reached on Monday through Thursday, from 9:00 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Callie Shosho can be reached on (571) 272-1123. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Hai Vo/  
Primary Examiner, Art Unit 1794